

# Graphic guidelines

5/2011

# Basic Colours



© Pantone 299  
C 86 • M 8 • Y 8 • K 0  
R 0 • G 170 • B 231



© Pantone 2945  
C 100 • M 52 • Y 2 • K 15  
R 0 • G 97 • B 160



© Pantone 5425  
C 42 • M 12 • Y 5 • K 22  
R 118 • G 158 • B 182



© Pantone 123  
C 0 • M 20 • Y 90 • K 0  
R 255 • G 203 • B 49



Gradient 56°

# Extra colours



© Pantone 539  
C 100 • M 49 • Y 0 • K 70  
R 0 • G 48 • B 82

**NOTE!**

© Pantone 539 use only  
Junttan collection.



© Pantone 1585  
C 0 • M 56 • Y 90 • K 0  
R 216 • G 138 • B 51

**NOTE!**

© Pantone 1585 only  
Excadrill & Junttan visible.

# Typography / Printing house

Neo Sans Light

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Neo Sans Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Neo Sans Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Neo Sans Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Neo Sans Black

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Neo Sans Ultra

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

# Typography / Office

Arial

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

---

Arial Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ  
abcdefghijklmnopqrstuvwxyzåäö  
1234567890 (,.;!/?%&- -)

Logo

**JUNTTAN**  
respecting ground

# Logo / Safety area



# Logo / Colour options



Positive



Negative (White)



Black

# Logo / Wrong usage






# Stationary / Business card 85x55 mm




Use always original file (Indesign CS5). For more information, please ask from Junttan marketing. Paper: Munken Polar – 300 g/m<sup>2</sup>

# Stationary / Letterhead A4



Use always original file (Indesign CS5). For more information, please ask from Junttan marketing. Paper: Munken Polar – 100 g/m<sup>2</sup>

# Stationary / Envelopes; E5, C5 ja C4



Use always original file (Indesign CS5). For more information, please ask from Junttan marketing. Paper: Munken Polar.

# Datasheet A4 (4-page example)



PMx20  
Pile Driving Rig




Original Junttan product

DATA SHEET


### General Information

**Junttan PMx20** is a compact piling rig for driving timber, steel and concrete piles. It is an excellent combination of lightweight construction and the capacity for heavy duty pile driving. The recommended hammer ram weight is from 3 000 to 5 000 kg and the maximum pile length with SHK3/4 hammer is 20 meters (~66 ft). The rig has proven productivity due to excellent mobility. The telescopic leader ensures easy and fast handling of piles. Top pile driving performance is guaranteed with Junttan hydraulic hammers. An optional side drill or vibrator hammer makes pile driving even more efficient in some soil conditions. With optional Junttan equipment, optimised working set-up of the rig can be easily achieved.

This Junttan piling rig has the same proven features as the bigger Junttan machines. Its rugged design makes it a safe and reliable rig even in the most demanding working conditions. The self-erecting leader and many advanced technical features ensure that the rig is ready to work in just a few minutes. The ergonomic and safety tested cabin allows the driver to concentrate completely on his work. The expandable tracks and low centre of gravity make the rig exceptionally stable in different working situations. The horizontal movement of the leader ensures fast spotting of the pile. Because of the lightweight construction and size, the rig can be easily transported to a new working site.



**Standard PMx20 with top cathead**



**PMx20 with leader extension and side cathead**

\* Pile length depends on the hammer. See the table of hydraulic hammers beside.

Junttan

PMx20 - Pile Driving Rig

### Technical Data

Basic features			
Nominal operational weight	55 000 kg	120 000 lb	
Leader capacity	13 000 kg	28 700 lb	
Winch capacity	Pile:	8 000 kg	17 600 lb
	Hammer:	11 000 kg	24 300 lb
	Auxiliary:	3 000 kg	6 500 lb
Recommended hammer type	SHK3-SHK5		
Maximum pile length (SHK3/4)	20 m	66 ft	

Uppercarriage			
<b>Type</b>		<b>PMx20</b>	
Engine	Type:	Cummins Q586.7	
	Power:	179 kW	240 hp
	Fuel tank:	550 liters	145 gal
Hydraulic system	Max flow:	2x214+(L5)120 lpm/2 000gpm	2x57 + 32 gpm/2 000gpm
	Max pressure:	350 bar	5 076 psi
	Cooling cap:	2x25kW (dT=30degC)	
	Oil tank:	600 liters	159 gal
Control system	Junttan X control system		
Slew drive	Single drive, 1 380 mm single row slewing ring		
Counterweight	Fixed:	5 500 (+ 2 000) kg	12 100 + 4 400 lb
	Extendable:	5 500 kg	12 100 lb
Cabin	Air conditioned safety cabin		

Leader			
<b>Type</b>		<b>Telescopic PMx20</b>	
Movements	Telescope	4 000 mm	158 in
	Foot (up/down)	1 000/500 mm	40/20 in
	Horizontal	1 500 mm	59 in
Inclinations	According separate capacity tables		
	Electronic inclinometer included		

Undercarriage			
<b>Type</b>		<b>JH47138</b>	
Crawler length	4 700 mm		
Crawler type	D57		
Width (900 shoes)	Min:	3 200 mm	126 in
	Max:	4 700 mm	185 in
Track shoe options	Width:	800/900/1 000 mm	31 1/2/35 1/2/39 1/2 in
	Surface:	3-edge / flat edges / flat	
	Edge type:	normal / chamfer / banded	

Accessories			
* Side cathead			* Plier PCD
* Side auger	JD1.5/D3	* Arctic kit (Fuel heater for engine, batteries and hydraulic oil)	
* Rear support legs		* Tropical kit (Bigger coolers for hydraulic oil (2x35kW/dT=30degC))	
* Automatic lubrication system			* Leader hinge


\* Contact Junttan sales for all available options and accessories

Use always original file (Indesign CS5). For more information, please ask from Junttan marketing. Paper: Munken Polar 150g/m<sup>2</sup>

# PowerPoint -template



The title slide template features the Junttan logo at the top center, consisting of the word "Junttan" in a bold, blue, sans-serif font with the tagline "respecting ground" in a smaller, lighter blue font below it. A large blue rounded rectangle occupies the center of the slide, containing the text "Presentation name" in a large white font and "Date and Place" in a smaller white font below it. At the bottom of the slide, there is a white footer bar with three placeholder fields: "Date and time, 2011", "Firstname Lastname", and "Page number".



The content slide template features the Junttan logo at the top left. Below the logo is a large blue rounded rectangle containing the text "Headline goes here" in a large white font. Underneath the headline is a bulleted list of four items, each starting with "• Lorem ipsum dolor sit amet". At the bottom of the slide, there is a white footer bar with three placeholder fields: "Date and time, 2011", "Firstname Lastname", and "Page number".

Use always original PPT file. For more information, please ask from Junttan marketing

# Recruitment advertisement

Junttan Oy on johtava eurooppalainen lyöntipaalutuskoneita valmistava yritys. Yritys on perustettu vuonna 1976, ja se kuuluu PiloMac-konserniin. Konserniin kuuluvat Junttanin lisäksi metsäkoneita valmistava Oy Logset Ab Mustasaareessa sekä ExcaDrill-kallioporolaitelikeitoiminta Tervossa. PiloMac-konsernin liikevaihto on yli 90 miljoonaa euroa. Junttan Oy:n tuotannosta noin 95 % menee vientiin. Junttan-laitteita käytetään erilaisissa paalutustöissä yli 40 maassa ympäri maailmaa. Junttan Oy sijaitsee Kuopiossa, jossa työllistämme noin 170 työntekijää.

**Toiminnan kasvaessa olemme vahvistamassa myyntitiimiämme ja etsimme tehokasta aluevientipäällikköä**

Toimipaikkana on Kuopio. Aluevientipäällikkönä vastaat alueesi tuloksellisesta myynnistä, asiakkuuksien hoitamisesta, jakelijayhteistyöstä ja alueesi jakelukanavaratkaisujen kehittämisestä.

Edellytämme hakijalta soveltuvaa teknistä / kaupallista koulutusta, muutaman vuoden kokemusta vastaavista tehtävistä, matkustusvalmiutta, paineensietokykyä, asiakaspalveluhenkisyttä, hyvää englannin ja ruotsin kielen suullista ja kirjallista taitoa (muu kielitaito eduksi). Maanrakennuskoneiden tuntemus katsotaan eduksi.

Tarjoamme kansainvälisen, kehittyvän ja monipuolisen työympäristön, kilpailukykyisen palkan sekä mahdollisuuden ottaa haasteita ja kehittyä työtehtävissä. Lisätietoja tehtävistä antaa Junttan Oy:n myyntipäällikkö **Miika Eskelinen**, miika.eskelinen@junttan.com, puh. 050 554 0211. Lähetä vapaamuotoinen hakemuksesi palkkatoivomuksineen joko kirjeitse tai sähköpostitse 31.8.2008 mennessä: JUNTAN OY, PL 1702, 70701 KUOPIO tai miika.eskelinen@junttan.com. Kirjekuoreen tai sähköpostiin merkintä "aluevientipäällikkö".

**Junttan**  
respecting ground

Recruitment advertisement – example 140x165 mm

# Imago advertisement



## The land of opportunity

Junttan specializes in laying reliable foundations, enabling both the constructor and the society to succeed and flourish. Our piling machines represent the best in business, providing purpose-built efficiency, uncompromised operational safety and uncontested reliability. Our expertise and determination help you to discover the best possible piling solution for every need and situation, so that even those pieces of land that might seem unapproachable at first, can be turned into areas that add value to the environment in a respectful manner. Junttan can help every development and construction project to be carried out smoothly, thus contributing to successful business operations and sustainable development.

**Junttan**  
respecting ground

Junttan Oy Matkuskentie 7 FI-70800 KUOPIO, FINLAND Tel. +358 10 195 221 Fax +358 17 287 4411 [junttan@junttan.com](mailto:junttan@junttan.com) [www.junttan.com](http://www.junttan.com)

Imago advertisement example – full page.

# Rollups 850x2000 mm



Examples.






# Company flags



# Clothes



# Vehicles



# Excadrill & Junttan logotype



# Excadrill & Junttan logotype usage



Without frames - white background



Without frames - dark background



With frames - dark background



With frames - light background

# Excadrill & Junttan logotype safety area 1



# Excadrill & Junttan logotype safety area 2



# Excadrill & Junttan Business card 85x55 mm



Use always original file (Indesign CS5). For more information, please ask from Junttan marketing. Paper: Munken Polar – 300 g/m<sup>2</sup>